

Radon Measurement Report

PROPERTY INFORMATION



Contact Person: RTC
Address: 1020 Wabash St unit 11201, Fort Collins, CO 80526, United States

COMPANY INFORMATION



Name: SilverKey services
Phone Number: 9702151874
Email: ccartmell@silverkeyservice.com
Address: 105 2nd street, Loveland , Co 80537, United States

REPORT SUMMARY



LEVEL OF RADON

AVERAGE
0.3 pCi/L



MEASUREMENT ADDRESS

1020 Wabash St unit 11201
Fort Collins, CO, 80526, United States



REPORT DURATION

START DATE
Jun 27, 2024, 9:50
a.m. MDT

DURATION
48h

END DATE
Jun 29, 2024, 9:50
a.m. MDT



OTHER INFORMATION

ROOM

FLOOR

TYPE
Initial

MEASUREMENT SUMMARY



LEVEL OF RADON

MINIMUM
0.0 pCi/L

AVERAGE
0.3 pCi/L

MAXIMUM
1.1 pCi/L



TEMPERATURE

MINIMUM
68.4 °F

AVERAGE
76.8 °F

MAXIMUM
80.6 °F



HUMIDITY

MINIMUM
43.0 %rH

AVERAGE
48.0 %rH

MAXIMUM
59.5 %rH



ATMOSPHERIC PRESSURE

MINIMUM
24.7095 inHg

AVERAGE
24.8628 inHg

MAXIMUM
25.2009 inHg

HOURLY MEASUREMENT DATA




Note : Measurements are offset by 1 hour from the start of the test. (The first hour will read 3:00 for a 2:00 start time).

	DATE & TIME	RADON	AIR PRESSURE	TEMPERATURE	HUMIDITY
1	2024-06-27, 10:50 a.m. MDT	0.5 pCi/L	24.8489 inHg	75.9 °F	49.5 %rH
2	2024-06-27, 11:50 a.m. MDT	0.5 pCi/L	24.8335 inHg	73.8 °F	53.5 %rH
3	2024-06-27, 12:50 p.m. MDT	1.1 pCi/L	24.8200 inHg	73.8 °F	56.5 %rH
4	2024-06-27, 1:50 p.m. MDT	0.2 pCi/L	24.8022 inHg	70.9 °F	52.5 %rH
5	2024-06-27, 2:50 p.m. MDT	0.3 pCi/L	24.7881 inHg	68.4 °F	50.0 %rH
6	2024-06-27, 3:50 p.m. MDT	0.7 pCi/L	24.7639 inHg	70.9 °F	59.5 %rH
7	2024-06-27, 4:50 p.m. MDT	1.1 pCi/L	24.7385 inHg	73.4 °F	55.5 %rH
8	2024-06-27, 5:50 p.m. MDT	0.7 pCi/L	24.7160 inHg	75.6 °F	52.5 %rH
9	2024-06-27, 6:50 p.m. MDT	0.0 pCi/L	24.7095 inHg	76.6 °F	51.5 %rH
10	2024-06-27, 7:50 p.m. MDT	0.4 pCi/L	24.7119 inHg	77.4 °F	50.5 %rH
11	2024-06-27, 8:50 p.m. MDT	0.2 pCi/L	24.7438 inHg	77.7 °F	50.5 %rH
12	2024-06-27, 9:50 p.m. MDT	0.2 pCi/L	24.7804 inHg	77.7 °F	49.5 %rH
13	2024-06-27, 10:50 p.m. MDT	0.2 pCi/L	24.7928 inHg	77.7 °F	49.5 %rH
14	2024-06-27, 11:50 p.m. MDT	0.0 pCi/L	24.7798 inHg	77.7 °F	49.0 %rH
15	2024-06-28, 12:50 a.m. MDT	0.2 pCi/L	24.7662 inHg	77.4 °F	49.0 %rH
16	2024-06-28, 1:50 a.m. MDT	0.4 pCi/L	24.7426 inHg	77.4 °F	49.0 %rH
17	2024-06-28, 2:50 a.m. MDT	0.4 pCi/L	24.7314 inHg	77.0 °F	49.0 %rH
18	2024-06-28, 3:50 a.m. MDT	0.4 pCi/L	24.7331 inHg	77.0 °F	49.0 %rH
19	2024-06-28, 4:50 a.m. MDT	0.2 pCi/L	24.7515 inHg	76.6 °F	49.0 %rH
20	2024-06-28, 5:50 a.m. MDT	0.2 pCi/L	24.8017 inHg	76.3 °F	49.0 %rH
21	2024-06-28, 6:50 a.m. MDT	0.4 pCi/L	24.8170 inHg	75.9 °F	49.0 %rH
22	2024-06-28, 7:50 a.m. MDT	0.4 pCi/L	24.8070 inHg	75.9 °F	49.0 %rH
23	2024-06-28, 8:50 a.m. MDT	0.5 pCi/L	24.7987 inHg	75.6 °F	48.5 %rH
24	2024-06-28, 9:50 a.m. MDT	0.0 pCi/L	24.8040 inHg	75.6 °F	48.5 %rH
25	2024-06-28, 10:50 a.m. MDT	0.3 pCi/L	24.8040 inHg	75.9 °F	48.0 %rH
26	2024-06-28, 11:50 a.m. MDT	0.2 pCi/L	24.7969 inHg	76.3 °F	47.5 %rH
27	2024-06-28, 12:50 p.m. MDT	0.7 pCi/L	24.7839 inHg	76.6 °F	47.0 %rH
28	2024-06-28, 1:50 p.m. MDT	0.4 pCi/L	24.7698 inHg	77.7 °F	46.5 %rH
29	2024-06-28, 2:50 p.m. MDT	0.5 pCi/L	24.7733 inHg	78.4 °F	46.0 %rH
30	2024-06-28, 3:50 p.m. MDT	0.4 pCi/L	24.7639 inHg	79.2 °F	45.5 %rH
31	2024-06-28, 4:50 p.m. MDT	0.2 pCi/L	24.7816 inHg	79.5 °F	45.5 %rH
32	2024-06-28, 5:50 p.m. MDT	0.4 pCi/L	24.7922 inHg	80.2 °F	45.5 %rH

TEMPERATURE & HUMIDITY GRAPHS

— Temperature

.... Humidity



Radon Measurement Report

PROPERTY INFORMATION



Contact Person: RTC
Address: 1020 Wabash St unit 14103, Fort Collins, CO 80526, United States

COMPANY INFORMATION



Name: SilverKey services
Phone Number: 9702151874
Email: ccartmell@silverkeyservice.com
Address: 105 2nd street, Loveland , Co 80537, United States

REPORT SUMMARY



LEVEL OF RADON

AVERAGE
2.0 pCi/L



MEASUREMENT ADDRESS

1020 Wabash St unit 14103
Fort Collins, CO, 80526, United States



REPORT DURATION

START DATE
Jun 27, 2024, 9:47
a.m. MDT

DURATION
48h

END DATE
Jun 29, 2024, 9:47
a.m. MDT



OTHER INFORMATION

ROOM

FLOOR

TYPE
Initial

MEASUREMENT SUMMARY



LEVEL OF RADON

MINIMUM
0.6 pCi/L

AVERAGE
2.0 pCi/L

MAXIMUM
3.4 pCi/L



TEMPERATURE

MINIMUM
70.2 °F

AVERAGE
72.0 °F

MAXIMUM
74.8 °F



HUMIDITY

MINIMUM
43.5 %rH

AVERAGE
45.9 %rH

MAXIMUM
47.0 %rH



ATMOSPHERIC PRESSURE

MINIMUM
24.7089 inHg

AVERAGE
24.8603 inHg

MAXIMUM
25.2033 inHg

HOURLY MEASUREMENT DATA



Note : Measurements are offset by 1 hour from the start of the test. (The first hour will read 3:00 for a 2:00 start time).

	DATE & TIME	RADON	AIR PRESSURE	TEMPERATURE	HUMIDITY
1	2024-06-27, 10:47 a.m. MDT	0.6 pCi/L	24.8483 inHg	74.8 °F	43.5 %rH
2	2024-06-27, 11:47 a.m. MDT	2.6 pCi/L	24.8324 inHg	72.0 °F	44.0 %rH
3	2024-06-27, 12:47 p.m. MDT	2.4 pCi/L	24.8135 inHg	71.6 °F	44.5 %rH
4	2024-06-27, 1:47 p.m. MDT	2.8 pCi/L	24.8005 inHg	71.6 °F	45.0 %rH
5	2024-06-27, 2:47 p.m. MDT	2.0 pCi/L	24.7857 inHg	71.6 °F	45.5 %rH
6	2024-06-27, 3:47 p.m. MDT	3.0 pCi/L	24.7644 inHg	72.0 °F	45.5 %rH
7	2024-06-27, 4:47 p.m. MDT	2.8 pCi/L	24.7379 inHg	72.3 °F	45.5 %rH
8	2024-06-27, 5:47 p.m. MDT	2.2 pCi/L	24.7166 inHg	72.3 °F	45.5 %rH
9	2024-06-27, 6:47 p.m. MDT	2.0 pCi/L	24.7089 inHg	72.7 °F	45.5 %rH
10	2024-06-27, 7:47 p.m. MDT	2.0 pCi/L	24.7101 inHg	72.7 °F	46.0 %rH
11	2024-06-27, 8:47 p.m. MDT	2.4 pCi/L	24.7355 inHg	72.7 °F	46.0 %rH
12	2024-06-27, 9:47 p.m. MDT	3.4 pCi/L	24.7804 inHg	72.7 °F	46.0 %rH
13	2024-06-27, 10:47 p.m. MDT	1.2 pCi/L	24.7928 inHg	72.3 °F	46.0 %rH
14	2024-06-27, 11:47 p.m. MDT	2.6 pCi/L	24.7845 inHg	72.3 °F	46.0 %rH
15	2024-06-28, 12:47 a.m. MDT	2.2 pCi/L	24.7704 inHg	72.3 °F	46.0 %rH
16	2024-06-28, 1:47 a.m. MDT	2.4 pCi/L	24.7455 inHg	72.0 °F	46.5 %rH
17	2024-06-28, 2:47 a.m. MDT	1.4 pCi/L	24.7320 inHg	72.0 °F	46.5 %rH
18	2024-06-28, 3:47 a.m. MDT	2.0 pCi/L	24.7367 inHg	72.0 °F	46.5 %rH
19	2024-06-28, 4:47 a.m. MDT	1.6 pCi/L	24.7485 inHg	71.6 °F	46.5 %rH
20	2024-06-28, 5:47 a.m. MDT	2.2 pCi/L	24.7934 inHg	71.2 °F	46.5 %rH
21	2024-06-28, 6:47 a.m. MDT	1.6 pCi/L	24.8135 inHg	71.2 °F	47.0 %rH
22	2024-06-28, 7:47 a.m. MDT	1.4 pCi/L	24.8028 inHg	70.9 °F	47.0 %rH
23	2024-06-28, 8:47 a.m. MDT	1.8 pCi/L	24.7928 inHg	70.9 °F	47.0 %rH
24	2024-06-28, 9:47 a.m. MDT	1.8 pCi/L	24.7999 inHg	71.2 °F	47.0 %rH
25	2024-06-28, 10:47 a.m. MDT	1.6 pCi/L	24.8017 inHg	72.3 °F	46.5 %rH
26	2024-06-28, 11:47 a.m. MDT	2.0 pCi/L	24.7910 inHg	72.7 °F	46.5 %rH
27	2024-06-28, 12:47 p.m. MDT	2.0 pCi/L	24.7810 inHg	72.7 °F	46.0 %rH
28	2024-06-28, 1:47 p.m. MDT	1.4 pCi/L	24.7721 inHg	72.7 °F	45.5 %rH
29	2024-06-28, 2:47 p.m. MDT	1.4 pCi/L	24.7733 inHg	73.0 °F	45.5 %rH
30	2024-06-28, 3:47 p.m. MDT	2.0 pCi/L	24.7674 inHg	73.0 °F	45.5 %rH
31	2024-06-28, 4:47 p.m. MDT	3.4 pCi/L	24.7851 inHg	72.7 °F	45.0 %rH
32	2024-06-28, 5:47 p.m. MDT	0.8 pCi/L	24.7928 inHg	72.7 °F	45.0 %rH

TEMPERATURE & HUMIDITY GRAPHS

— Temperature
.... Humidity

